2015 | Volume Volume - 1 - Issue Issue - 2

In this issue

Case Report

Open Access Case Report PTZAID:IJCMS-1-112

Gigant Laryngocele Airway Management

Published On: September 29, 2014 | Pages: 018 - 019

Author(s): Javier Pascual-Ramirez*, Jorge Crespo del Hierro

Emergent airway obstruction is a dreaded emergency among anesthesiologists. Classically has been managed with awake options, particularly fibreoptic intubation. Laryngoceles, if size and accessibility allows for it, can be evacuated by needle aspiration, postponing definitive management. ...

Abstract View Full Article View DOI: 10.17352/2455-8702.000012

Case Blog

Open Access Case Blog PTZAID:IJCMS-1-108

Target (Iris) Lesions of Erythema Multiforme

Published On: August 28, 2014 | Pages: 012 - 012

Author(s): Rehman HU*, Surtie F

A 21-month old age girl presented with asymptomatic lesions on her right arm of 4 days duration. She denied sore throat, fever and cough and no lesions were found anywhere else including buccal mucosa. She had not taken any medications recently. ...

Abstract View Full Article View DOI: 10.17352/2455-8702.000008

Clinical Image

Open Access Clinical Image PTZAID:IJCMS-1-114

Giant renal Cyst into Giant Laparotomic Hernia

Published On: November 24, 2014 | Pages: 021 - 021

Author(s): Francisco Javier Pérez Lara*, David Hernández Alcaraz, Juan Hernández Carmona, Arturo del Rey Moreno, Horacio Oliva Muñoz

82-year-old male patient previously twice subjected to surgical intervention for peritonitis, and to two subsequent interventions for giant incisional hernia. After the final intervention, the meshpad was removed, due to infection, but the giant eventration persisted. Eight years later, when anaemia was observed, a gastroenterology examination was performed and sigmoi ...

Abstract View Full Article View DOI: 10.17352/2455-8702.000014

Open Access Clinical Image PTZAID:IJCMS-1-111

Scrotal Mass

Published On: September 10, 2014 | Pages: 017 - 017

Author(s): Farhat Said*, El Rassi Patrick

A 45-year-old man presented to the emergency room with abdominal pain and distention, dyspnea and a scrotal mass with absence of a visible penis as shown in the figure 1 below. Abdominal circumference was 120 cm, scrotum circumference was 80 cm and the height of the scrotum was 35 cm. There were no signs of acute abdomen and preliminary routine laboratory labs were ...

Abstract View Full Article View DOI: 10.17352/2455-8702.000011

Open Access Clinical Image PTZAID:IJCMS-1-109

Conjunctival Pyogenic Granuloma after Strabismus Surgery

Published On: September 08, 2014 | Pages: 013 - 013

Author(s): Shinji Makino*, Kozue Hozawa

A 48-year-old man presented with exotropia of his left eye. The alternative prism cover test demonstrated there was 60 prism diopter exotropia. A 9 mm lateral rectus muscle recession and a 7 mm medial rectus muscle resection were performed in his left eye. Approximately one month later, a polypoid, red, smooth-surfaced mass arose from the area overlying the original i ...

Abstract View Full Article View DOI: 10.17352/2455-8702.000009

Editorial

Open Access Editorial PTZAID:IJCMS-1-113

Who we are?

Published On: October 17, 2014 | Pages: 020 - 020

Author(s): Saibal Das*

It's my privilege and honor to write the editorial of a newly enterprising title "Imaging Journal of Clinical and Medical Sciences (IJCMS)." "Peertechz" has done an excellent work again. We are already enamored by an overwhelming response from various authors throughout the globe. Again I will say it's just the beginning of a new endeavor. IJCMS is a peer-reviewed ...

Abstract View Full Article View DOI: 10.17352/2455-8702.000013

Open Access Editorial PTZAID:IJCMS-1-110

Ultrasound Imaging in Airway Management: A Boon?

Published On: September 08, 2014 | Pages: 014 - 016

Author(s): Rakesh Garg*, Anju Gupta

Airway management is the basic skill acquired and mastered by anesthesiologist and is their prime responsibility. Difficulties in optimal airway management can lead to serious adverse effects and failure can even lead to mortality. Due to these reasons, diligent efforts are continuously being undertaken to improve the care in form of introduction of various guidelines ...

Abstract View Full Article View DOI: 10.17352/2455-8702.000010