2016 | Volume Volume - 2 - Issue Issue - 1

In this issue

Research Article

Open Access Research Article PTZAID:JCRO-2-107

Central Corneal Thickness in Nepalese Glaucoma Patients and Glaucoma Suspects

Published On: November 25, 2014 | Pages: 003 - 006

Author(s): Prakash Adhikari*, Pratik Chettry and Madhu Thapa

Purpose: To compare central corneal thickness (CCT) among glaucoma patients, glaucoma suspects, and normal subjects and to determine its association with glaucoma severity in Nepalese population. Methods: This study included 400 eyes (149 glaucoma, 157 glaucoma suspects, 94 controls) of 400 participants examined in a glaucoma clinic and eye OPD in Nepal. CCT was meas ...

Abstract View Full Article View DOI: 10.17352/2455-1414.000007

Case Report

Open Access Case Report PTZAID:JCRO-2-110

Posterior Polar Hemispheric Choroidal Dystrophy

Published On: February 04, 2015 | Pages: 013 - 014

Author(s): Shinji Makino*

The term "posterior polar hemispheric choroidal dystrophy" was first used by Yannuzzi to describe the annular, hemispheric loss of retinal pigment epithelium and choriocapillaris[1].Since then, there have been no further reports on this rare condition. ...

Abstract View Full Article View DOI: 10.17352/2455-1414.000010

Open Access Case Report PTZAID:JCRO-2-109

Eye Involvement as the Initial Sign of Multiple Sclerosis in a Case with Familial Mediterranean Fever

Published On: January 10, 2015 | Pages: 010 - 012

Author(s): Neslihan Sevimli, Remzi Karadag*, Bahri Aydin, Müferret Ergüven and Hüseyin Bayramlar

Purpose: To present a case of familial Mediterranean fever with eye involvement as the initial sign of multiple sclerosis. Method: A 13-year-old boy with familial mediterranean fever (FMF) presented with sudden loss of vision in his right eye. Findings: Visual acuity was 50 cmfc (centimeter finger counting) in the right eye associated with papilledema and intraretin ...

Abstract View | Full Article View | DOI: 10.17352/2455-1414.000009

Open Access Case Report PTZAID:JCRO-2-106

Local Allergic Reaction to Ocular Chloramphenicol Ointment: A Diagnosis by High Index of Clinical Suspicion

Published On: September 15, 2014 | Pages: 001 - 002

Author(s): Ratnesh Ranjan* and Shikha Ranjan

Chloramphenicol is a widely used topical ointment applied routinely for ocular and periorbital infections due to its wide spectrum of anti-bacterial activity. Local delayed hypersensitivity reaction to chloramphenicol is a well reported but uncommon adverse effect, and has been reported to mismanaged initially as an infective cellulitis. The confirmatory tests for dru ...

Abstract View | Full Article View | DOI: 10.17352/2455-1414.000006

Mini Review

Open Access Mini Review PTZAID:JCRO-2-108

Needle Revision with Antimetabolites in Bleb Failure

Published On: December 12, 2014 | Pages: 007 - 009

Author(s): Ehab Ghoneim*

Bleb failure after initially successful glaucoma surgery still constitutes a major challenge in management of glaucoma patients. Needling is considered a simple surgical technique that can solve a major problem like failure of glaucoma

surgery. The introduction of antimetabolite in ophthalmology greatly enhances the results of needling as well as the initial trabecu ...

Abstract View Full Article View DOI: 10.17352/2455-1414.000008